,			A
	Application No.	Applicant(s)	
Notice of Allowability	10/080,682	HENRIOT ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Brian J. Sines	1743	
The MAILING DATE of this communication appeared all claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS	; tive
1. This communication is responsive to the response filed 9/2	<u>22/2004</u> .		
2. The allowed claim(s) is/are <u>3-7</u> .			
3. $\boxtimes$ The drawings filed on <u>25 February 2002</u> are accepted by the	ne Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	been received.  been received in Application No		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply of ENT of this application.	complying with the requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER's reason(s) why the oath or declarate	S AMENDMENT or NOTICE OF tion is deficient.	
<ol> <li>CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson 1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the processing of the sheet in the she</li></ol>	on's Patent Drawing Review (PTO-S  Amendment / Comment or in the O  84(c)) should be written on the drawin	ffice action of	
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F</li> </ol>	sit of BIOLOGICAL MATERIAL m FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. Note the AL MATERIAL.	
Attackmant(a)		·	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal Pa	atent Application (PTO-152)	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (	, , , ,	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08	Paper No./Mail Date	e .	
Paper No./Mail Date	o), 7. 🔼 Examiner's Amenom	ent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance	
of Biological Material	9.		

Application/Control Number: 10/080,682

Art Unit: 1743

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Carl. I. Brundidge on 9/30/2004.

The application has been amended as follows:

6. A method for continuous detection of thermodynamic hydrate formation conditions, at any point of a pipe carrying a multiphase mixture of petroleum fluids, using a mechanistic hydrodynamic module and an integrated compositional thermodynamic module to define the phase properties, and applying mass conservation and momentum conservation equations, as well as equations of energy transfer in the mixture, considering that the multiphase mixture is substantially continuously at equilibrium, a composition of the multiphase mixture is variable all along the pipe and a mass of each constituent of the mixture is globally defined by a mass conservation equation regardless of phase state thereof, and the petroleum fluids are lumped together into a limited number of pseudo-components, comprising [detecting thermodynamic hydrate formation conditions by]:

carrying out a lumping of the petroleum fluids into selected pseudo-components so as to isolate the hydrate forming components, with a definition for each pseudo-component of a mass fraction and of a number of characteristic physical quantities[,]; and

Application/Control Number: 10/080,682

Art Unit: 1743

applying to said modules data relative to the selected pseudo-components so as to determine at any point along said pipe a hydrate dissociation temperature.

- 7. A method for continuous control of hydrate formation at any point of a pipe carrying a multiphase mixture of petroleum fluids, using a mechanistic hydrodynamic module and an integrated compositional thermodynamic module to define the phase properties, and applying mass conservation and momentum conservation equations, as well as equations of energy transfer in the mixture, considering that the multiphase mixture is substantially continuously at equilibrium, a composition of the multiphase mixture is variable all along the pipe and a mass of each constituent of the multiphase mixture is globally defined by a mass conservation equation regardless of phase state thereof, and the petroleum fluids are grouped together into a limited number of pseudo-components, comprising:
  - a) detecting hydrate formation conditions by:

carrying out a grouping of the petroleum fluids into selected pseudo-components so as to isolate the hydrate forming components, with a definition for each pseudo-component of a mass fraction and of a number of characteristic physical quantities, and

by applying to said modules data relative to these particular pseudo-components so as to determine a hydrate dissociation temperature;

- b) determining at any point along said pipe, a temperature of said mixture of petroleum fluids;
- [b)]c) using a control device to compare <u>said</u> temperature of the petroleum fluids with [the] <u>said</u> hydrate dissociation temperature; and

Application/Control Number: 10/080,682

Art Unit: 1743

[c)]d) applying measures intended to [fight] control hydrate formation under [the] said control device.

## Allowable Subject Matter

Claims 3-7 are allowed.

The following is an examiner's statement of reasons for allowance:

The cited prior art neither teach nor fairly suggest a method for the continuous detection of thermodynamic hydrate formation conditions at any point of a pipe carrying a multiphase mixture of petroleum fluids using a mechanistic hydrodynamic module and an integrated compositional thermodynamic module to define the phase properties, wherein the method involves applying mass conservation and momentum conservation equations, as well as equations of energy transfer in the mixture, considering that the multiphase mixture is substantially continuously at equilibrium, a composition of the multiphase mixture is variable all along the pipe and a mass of each constituent of the mixture is globally defined by a mass conservation equation regardless of phase state thereof, and the petroleum fluids are lumped together into a limited number of pseudo-components, wherein the method is comprising the steps of: carrying out a lumping of the petroleum fluids into selected pseudo-components so as to isolate the hydrate forming components, with a definition for each pseudo-component of a mass fraction and of a number of characteristic physical quantities; and applying to the modules data relative to the selected pseudo-components so as to determine at any point along the pipe a hydrate dissociation temperature.

The cited prior art neither teach nor fairly suggest a method for the continuous control of hydrate formation at any point of a pipe carrying a multiphase mixture of petroleum fluids using

Art Unit: 1743

a mechanistic hydrodynamic module and an integrated compositional thermodynamic module to define the phase properties, wherein the method involves applying mass conservation and momentum conservation equations, as well as equations of energy transfer in the mixture, considering that the multiphase mixture is substantially continuously at equilibrium, a composition of the multiphase mixture is variable all along the pipe and a mass of each constituent of the multiphase mixture is globally defined by a mass conservation equation regardless of phase state thereof, and the petroleum fluids are grouped together into a limited number of pseudo-components, wherein the method is comprising the steps of: detecting hydrate formation conditions by: carrying out a grouping of the petroleum fluids into selected pseudocomponents so as to isolate the hydrate forming components, with a definition for each pseudocomponent of a mass fraction and of a number of characteristic physical quantities, and by applying to the modules data relative to these particular pseudo-components so as to determine a hydrate dissociation temperature; determining the temperature of the mixture of petroleum fluids at any point along the pipe; using a control device to compare the temperature of the petroleum fluids with the hydrate dissociation temperature; and applying measures intended to control hydrate formation using the control device.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 1743

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian J. Sines, Ph.D. whose telephone number is (571) 272-1263. The examiner can normally be reached on M-F (11 AM - 8 PM EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill A. Warden can be reached on (571) 272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Supervisory Patent Examine Technology Center 1700